TECHNICAL WORKING GROUP – STI

NACP IV 9th and 10th May 2011

Members

- Chairperson Dr. N. Usman
- Rapporteurs:: Dr.Mahalingam APAC –VHS- USAID, Dr.G.S.Shreenivas TSU, Maharashtra, Dr.Deepali Sankhe MDACS
- Dr.DCS Reddy ,WHO
- Dr.Anjana Das ,FHI
- Dr Sameer Kumta, BMGF
- Dr.Ganga Khedkar NARI
- Dr Sheela Godbole, NARI
- Dr Ragini Kulkarni, NIRRH
- Dr.Khursheed Bhalla ,Pathfinder
- Dr.Dinesh Baswal AC, Maternal Health, MoHFW
- Dr Rajeev Kumar Jain, Director Health, Ministry of Railways
- Dr. Manjubala , Consultant Microbiologist, Safdurjung Hospital
- Dr.Usha Baweja, Consultant Microbiologist
- Mr.Akram MSM representative, Ashodaya, Karnataka
- Dr.Charu , DMS, Kolkatta

Convener: Dr.Sunil Khaparde DDG STI, NACO

NACO participantss: Dr.TLN Prasad, Dr.Shobini, Dr.Naveen, Dr Raghuram Rao, Prachi Garg, Mr Manilal, Mr Sanjeev Jain

Process

- The division described the current status of the program implementation at the outset.
- Each point in the TOR was discussed by group members.
- Current implementation plan on the topic was reviewed and issues related to the programme were flagged and group provided input/s on finding possible solutions and discussed the implementation plan for NACP IV.
- Group also provided actionable recommendations and flagged issues for further discussion.

Primary objective

To develop & document a strategic approach for STI/RTI in NACP - IV

Overarching goal

To provide universal, comprehensive quality standardized STI/RTI services to all population groups through convergence and integration mechanisms.

Session 1

S.No	Issues
1	Review current status of STI services and suggest strategies for extending STI services through public sector health care delivery system upto sub-district level
2	Develop mechanisms for convergence with ARSH, family planning, sexual and reproductive health services under RCH II of NRHM
11	Suggest channels (IEC/BCC) for communications on STI management services for increasing demand.
12	Recommend effective cross-linkages of RTI/STI with other HIV prevention and care and support programmes.
13	Develop benchmarks for a quality assurance system for STI services in public and private sector.
14	Assess technical support needs and recommend measures for capacity building and supportive supervision for both public and private sector.
16	Explore the possibilities of integration activities with NRHM

Session 2

S.No	Issues
3	Suggest measures for enhanced involvement of private sector for providing quality STI services.
	Review methods of providing STI services to HRG and
	suggest innovative methods to reduce STI prevalence
4	among HRG substantially

Session 3

S.No	Issues
5	Provide recommendations to strengthen the syndromic approach, rapid testing and etiological management of STI services at appropriate level of service delivery.
6	Suggest measures for strengthening laboratory support for etiological management of STIs and set up of a laboratory based STI surveillance system .
7	Suggest measures for strengthening Regional Laboratories for conducting Anti Microbial Drug Resistance studies.
8	Identify programmatic thrust areas for taking up as OR activities under the programme
9	Revisit the appropriateness of the estimates of STI/RTI burden on the basis of available data in the country
10	Develop strategies to scale up the programme achievements of reducing syphilis prevalence into elimination of congenital syphilis
15	Suggest innovations in implementation

Broad discussion points

- In essence, what was begun in NACP III should be sustained and strengthened through NACP IV
- NACO requires to provide technical assistance and handholding support to NRHM
- Community monitoring systems developed for oversight of service delivery through private sector and NRHM
- Build capacities of existing government training institutions and link the programme capacity building with them
- Conduction of a baseline survery based on both syndromic and lab diagnosis in the last years of NACP III and NACP IV
- Introduction of minimal laboratory investigations for DSRC at Medical colleges and in static clinics of TI
- Conduction of sentinel mode of laboratory based surveillence for STI

Broad discussion points

- Involvement of private sector beyond HRG
- Introduction of point of care testing for core and bridge populations as well as difficult to reach pregnant women
- Introduction of syphilis screening as part of the HIV screening at all the ICTC/PPTCT
- Building capacities of ANM/ nursing staff in administering syndromic case management

Review current status of STI services and suggest strategies for extending STI services through public sector health care delivery system upto sub-district level

Recommendations:

- Continue with SCM with minimal Lab support wherever available (ESCM)
- Continue with the existing support for counsellor in the programme.
- Programme should ensure strengthening of existing OPD for quality STI/RTI service delivery instead of positioning additional system
- STI/RTI service delivery should be through involvement of all possible service providers of the designated facilities irrespective of specialilties,
- NACO should provide handholding support to provide standardized service delivery across all facilities.

Issues for further discussion:

 How to provide supportive supervision and build the capacity of the service providers especially at PHC and CHCs on a dynamic mode.

Discussion points 17 Explore the possibilities of integration activities with NRHM

Recommendation:

 NACO should provide handholding support to provide standardized service delivery through the NRHM facilities in

close coordination with maternal health division at national level. Positioning of structured monitoring system at national, state and district level for facilities under NRHM in convergence with NACO would be finalized in consultation with maternal health division. NRHM should ensure regular reporting from all NRHM facilities in the HMIS with respect to the agreed STI/RTI monitoring indicators.

- Syphilis screening of pregnant women should be scaled up across all ICTC/PPTCT and F-ICTC located in the facilities supported by NRHM. NRHM should budget to procure the requisite numbers of syphilis screening test kits.
- The programme should involve Urban Health facilities (Urban health facilities, health posts, corporation hospitals and to cater to populations living in urban and peri-urban slums. NACO/SACS should provide training of service providers and syndromic colour coded drug kits to treat STI/RTI. Syphilis screening should be ensured in these centres for both STI/RTI attendees and pregnant women through state support.

Discussion points 17 Explore the possibilities of integration activities with NRHM

- Mobile medical units under NRHM should be linked with difficult to reach HRG population and linkages to be established between MMU and link workers, Asha and AWW. NRHM should train the staff of MMU in syndromic case management and provide colour coded drug kits. The facility may also be used to screen pregnant women for syphilis and HIV who are not accessing health facilities at PHC/ subcentre have not been utilized properly.
- NACO and NRHM to involve rural private providers already seeing STI/RTI cases in the programme as an option to overcome staff shortage at NRHM facilities.

Develop mechanisms for convergence with ARSH, family planning, sexual and reproductive health services under RCH II of NRHM

Recommendations:

- ARSH services should be comprehensive in nature and there should be functional linkages of gynae, STI, ANC family welfare and post partum facilities in the given hospital for meaningful ARSH services.
- "Suraksha" brand name for "Sexual and Reproductive health services" should be extended to brand all related services as mentioned above.
- Special package for communication to this population needs to be designed
- NACO and NRHM should visit and explore possibilities of replication of innovations like helplines in implementing ARSH services by organizations such as Tarshi, Mamta, etc

Issues for further discussion:

 Modalities for monitoring systems at national, state and district level along with role clarity of NACO/NRHM needs to be discussed in detail.

Suggest measures for enhanced involvement of private sector for providing quality STI services.

Recommendations:

- The group agreed on the relevance and importance of partnering with the private sector and suggested that it should not be limited only to provide STI/RTI services to HRGs, but to cover larger population.
- The group further suggested training of members of the professional associations across rural and urban areas without an obligation of an agreement and provide basic job aids to them with an expectation that they adhere and follow standardized treatment protocols for treating various STI/RTI among the patients accessing their services. The group felt that this kind of a strategy will cater service needs of larger populations in a standardized manner.
- Recording and reporting is one of the bigger challenges, hence minimal indicators should be introduced from the data retrieving from the private sector. Similarly, the monitoring should be very minimal and may be institutionalized using the governing bodies of associations at district, state and national levels.

Suggest measures for enhanced involvement of private sector for providing quality STI services.

- The group expressed their appreciation on the efforts made by the programme for partnering with other central government health systems such as Railways, ESI and Armed forces and paramilitary forces and further suggested to scale up of linkages with other organized public sector undertakings such as SAIL, Coal India, etc and nationally accredited corporate hospitals like Apollo, Fortis etc. The group suggested to the programme to structure the linkages for enabling staff of the partnering organizations to be trained as per national guidelines and position simple data capturing systems. The same mechanisms can be replicated at state and regional level by respective SACS. An action plan in this regard may be developed in this programme to establish and sustain convergence with the above mentioned organizations during the current financial year itself.
- Programme should consider conducting minimum two evaluations of PPP models through agencies and organizations.

Suggest measures for enhanced involvement of private sector for providing quality STI services.

Issues for further discussion:

- Feasibility and effectiveness of saturated training of private providers for STI/RTI
- View on whether NACO should negotiate, as a National policy with Medical Council of India to consider trainings as part of CME activity and link the same with periodic renewal of licences.
- Issues, need for continuation and strategies to overcome obstacles related to involvement of RMP and AYUSH and non qualified traditional practitioners into the programme.
- Use of Just Dial services/ local networks/ cable TV etc to provide information on STI treatment. Subscription could be paid by NACO on behalf of the PPP and the service could provide linkage to the doctor for STI treatment.

Review methods of providing STI services to HRG and suggest innovative methods to reduce STI prevalence among HRG substantially

Recommendations

- The group recommended that TI and STI division NACO provide flexibility to SACS for using the best possible modality/ies for STI service delivery based on the population spread and number of HRG
- The group suggested reworking the honorarium to preferred private providers in accordance to the tier of city and improving the monitoring systems to maintain quality. At the same time, it must be ensured that the privacy of the private practitioner is not to be interfered.
- Group also suggested to the programme to consider and introduce service delivery for HRG through qualified ANM/ nurses to counter the non availability of qualified providers which is being done in some north eastern states.

Review methods of providing STI services to HRG and suggest innovative methods to reduce STI prevalence among HRG substantially

- The group suggested linking all the service outlets both in urban and rural areas both in government and private sector for service delivery to HRG and general populations as the group felt that some of the HRG is accessing providers who are not in a programme and paying for the services. Hence payment aspects of the providers is not the key issue but ensuring all the providers in a given area are trained and aware of the guidelines assumes greater importance.
- All trainings should have a person from HRG communities and PLHIV networks to sensitize the service providers to bring in attitudinal change among service providers and to induce empathy towards MARPs among providers.
- SACS should ensure and monitor the linkages between TI projects and State and Regional STI centres for laboratory screening of STI/RTI, understand etiologies of repeat and recurrent STI and monitor drug sensitivity pattern of gonococci and impact of presumptive treatment among the core groups.
- Community monitoring systems to be introduced across TI projects as a policy to monitor the quality of service delivery by the community.

Review methods of providing STI services to HRG and suggest innovative methods to reduce STI prevalence among HRG substantially

Issues for further discussion

- Programme also to consider and introduce service delivery through qualified ANM to counter the non availability of qualified providers which is being done in some north eastern states.
 - Provision of free services to the bridge populations (Free colour coded STI/RIT drug kits)
- Scope of service should not be limited to STI/RTI, but it should be comprehensive health service.
- Differential honorarium to the providers according to the tier of city.
- Exploring the possibility of using existing and introducing new mobile services as a strategy to reach difficult to reach HRG
- Further discussion needs to be carried out on whether simple syndromic case management is a good enough option or services like minimal laboratory tests or PAP etc. could be added to the treatment.

Discussion points 5, 6 and 7

Provide recommendations to strengthen the syndromic approach, rapid testing and etiological management of STI services at appropriate level of service delivery.

Suggest measures for strengthening laboratory support for etiological management of STIs and set up of a laboratory based STI surveillance system .

Suggest measures for strengthening Regional Laboratories for conducting Anti Microbial Drug Resistance studies.

Recommendations for points 5, 6, and 7

- The group recommended introducing minimal laboratory investigations as part of the programme as a parallel activity without linking to treatment at DSRC located in Medical College hospitals.
- The group recommended to introduce newer Point of care diagnostic test kits after regional STI centres validating their feasibility and suitability for the programme.
- The regional STI centres should develop the capacity to evaluate the syphilis test kits and newer diagnostic tests and help the programme to introduce them as add ons.
- The group also recommended scaling up regional STI centre concept to other premier laboratory based institutes under ICMR and develop linkages with them.
- The existing network of sentinel sites should be used in assessment of samples of patients accessing private sector and NRHM facilities also.
- The group also recommended to strengthen the sentinel sites with need based human resource, equipment and consumable support.
- The group recommended linking of 45 state reference centres and 7 regional centres with GASP programme of WHO
- The group recommended NABL accreditation of all the 52 laboratories.

Recommendations for points 5, 6, and 7

Points for further discussion:

- The feasibility of introducing etiologic management of STI by medical colleges and accordingly modifying the syndromic protocols is an issue flagged for STI TRG.
- The sub-group to revisit terms of reference of the Regional and State Reference Centres and the implementation plan of laboratory based STI surveillance and give their recommendations for consideration.
- Feasibility and cost effectiveness of linking with huge network of private corporate status laboratories which are NABL accredited such as Thyrocare, RPG, SRL, Metrocare etc to capture data from private and affluent sector of the community.
- Whether to introduce minimal laboratory investigations in TI site to begin with for core groups and projects having static clinics under the directions of Regional or State reference centres: programme implications, feasibility and .
- To look into the possibility of strengthening mobile medical units who can undertake minimal laboratory tests as part of the package of tests to be delivered.
- Feasibility of inclusion of national level surveillance for STI as part of national HIV sentinel surveillance

Identify programmatic thrust areas for taking up as OR activities under the programme

Recommendation

- The group recommended creating a small core committee to monitor and mentor Regional and State Centres' performance.
 - The core committee will act as an external quality assurance system, whose TOR will be defined by the programme division.
 - The core committee should consist of clinician, laboratory, programme and research/ epidemiology person.
 - The committee should be linked to the research activity with other organizations and agencies working with department of health research for optimization of resources and effective utilization.
 - The core group will look at the proposals submitted by regional centre, prioritize them, and select the study to be given to the regional centre after vetting.
- The group recommended supporting the activities of young residents in undertaking OR activities in close coordination of the four departments of Regional STI centre within the existing budgetary sanctions.

Following OR topics were suggested

- Sensitivity and Specificity of current national syndromic protocols among various population sub groups.
- Different strategies for partner management
- Re infection rate among index patients
- Task shifting for STI/RTI management by nurses
- Cost effective clinical service model for MSM, Migrants
- Private sector involvement / Public private partnership to understand different needs of Ayush, Allopaths and RMPs.
- Acceptance of HRGs to enhance health seeking behaviour
- Different screening for HPV related morbidity for different population subtypes
- Determine different issues raised due to convergence like condom use for HIV prevention vs. permanent family control methods
- KAP of health care workers in Railways, ESIS, PSU etc. pertaining to STI to be done by concerned ministry
- Pilot screening for Point of care testing for syphilis for ANM mothers who deliver at home
- To understand the sexual and other health care needs of adolescents and their parents
- Placing of package for Adolescents to be done in such a way that their needs and their parents' needs of sexual health/other relevant message are addressed. An OR to address these needs can be carried out.
- Conduct OR on the sexual behaviour and sexual health needs of Intravenous drug users across four regions of the country, as there is no available data.

Revisit the appropriateness of the estimates of STI/RTI burden on the basis of available data in the country

Recommendation/ Points for further discussion:

- The sub group reviewed midterm review findings which states that the programme targets were in accordance to the available evidence. The group also felt that there is no evidence to state that the 2002 – 3 was inappropriate for programme planning.
- Since the available evidence and observed that there was no uniformity of methodology across studies. Hence it is suggested to develop a forest plot analysis of all studies.
- Majority of the studies are laboratory based while the programme is syndromic based. Hence the group suggested revisiting the raw data of 2002 – 3 study, match the prevalence rates of individual STI with the metaanalysis findings of the desk review and observe points of deviation and correlation.
- The group also recommended to have syndromic estimates using 2010 11 CMIS data.
- The group has created a small working committee consisting of epidemiologist, clinician and researcher. The group will conduct the above mentioned steps and submit their report to the larger group during second meeting.

Develop strategies to scale up the programme achievements of reducing syphilis prevalence into elimination of congenital syphilis

Recommendation

- Reaching the goal of congenital syphilis elimination entails a strong focus on institutional delivery and scaling up of syphilis screening and should be an RCH priority. Hence there is need for a focussed convergence between NACO and MH division to achieve the same. NACO with its expertise in programme implementation should share their technical experts with MH division to design, implement and monitor systems for screening, treatment, follow up to ensure cure of infected pregnant woman, her spouse and the newborn.
- Both the divisions should consider introduction of point of care testing of syphilis as a strategy to reach larger numbers of pregnant women across the country, especially pregnant women residing in difficult to reach rural, desert, high altitude and tribal areas. All sera found reactive with POC must be subjected for further testing with RPR/VDRL test to understand infectiousness and to enable follow up of the individuals for cure.
- NRHM should incorporate sufficient funds to procure syphilis screening kits to begin with these kits can be introduced across all those facilities where currently pregnant women are screened for HIV. is not for screening syphilis some states are mandatorily screening for syphilis. Universal screening of all pregnant women is essential for elimination of congenital syphilis. But for this we need to have that many labs.
- All ANMs/ sub-centre level functionaries should be trained to use Point of Care testing in convergence with NRHM.

Points for further discussion:

- Need to conduct OR to understand whether a linkage with the private sector, Janani Suraksha Yojana or other programmes could be established to reach all the deliveries
- Role of Public private partnership to cover the deliveries in private sector

Suggest channels (IEC/BCC) for communications on STI management services for increasing demand

Recommendations:

- BCC tools explaining RMC, speculum examination, proctoscopy, presumptive treatment, syphilis screening etc should be developed and used in TI to reduce myths and misconceptions; fears and phobias related to these among HRG.
- IEC materials should be developed to address gaps like partner treatment, and also perceive risk and benefit in undergoing treatment.
- All IEC material must be undergo prior pretesting.
- There should be specific material for specific populations.
- The group emphasized the need for proper packaging of IEC material and adding messages on issues such as infertility, cancer care, substance abuse, etc so as to destigmatise SRH.
- The entire IEC BCC material should link and articulate existing implementing grass root level workers such as link workers, ASHA, AWW, SHG, VHND committees etc as a primary source of further information to community.
- Transgender group requested for specific referral directory providing specific information related to silicone implantation, hormone replacement therapy, sex reconstructive surgeries as well as poster on drug interactions between the STI/RTI medicines, ART, hormones and general medicines. and inclusion of the same in training curriculum of the providers.

Recommend effective cross-linkages of RTI/STI with other HIV prevention and

care and support programmes

Recommendations

- Referral linkages and outputs should be a part of dash board indicators for monitoring the programme at district, state and national level. The implementing unit should be provided with feedback based on observation.
- The primary responsibility of making the cross-referrals effective is with the counselors of the respective facilities, however the same should be regularly reviewed by the medical officer incharge, TI and the programme managers at SACS.
- NACO should take a policy decision and instruct all counselors at ICTC, PPTCT and ART to refer all clients with history of un-safe sexual behavior and all clients found reactive for HIV to STI/RTI clinic for a detailed history and examination.
- It was also recommended to introduce single prick Syphilis and HIV screening through single window at all HIV testing facilities in the country.
- The option of providing an exclusive counselor for Gynecology department based on the case load should be considered to improve the service delivery and cross referrals.

Points for further discussion:

 Discuss the feasibility/ effectiveness of providing STI/ gynae/ family welfare/ ARSH/ ICTC/ PPTCT/ post partum services through a common or closely linked platform as a strategy to enhance the reach and acceptability of services

Develop benchmarks for a quality assurance system for STI services in public and private sector.

Recommendations

- The group recommends that the simple standardized supervisory check list may be adapted for NRHM facilities in consultation with MH division. NRHM facilities are to be monitored twice a year. Instead of all facilities, a fraction of them may be visited. Priority should be given to hard to reach facilities, facilities lacking adequate space and staff.
- MH division has to circulate the minimum standards prescribed under the programme jointly with NACO to all NRHM facilities through their existing systems for adherence.
- NACO and MH division should have joint structured field visit plan and conduct review of implementation at state and district level, which hastens and sustains convergence activities.

Develop benchmarks for a quality assurance system for STI services in public and private sector.

- The group recommended mandatory monitoring of coordination between the four departments (Gynecology, Microbiology, Skin/VD and PSM) on a monthly basis by SACS and atleast two times in the year by NACO in a regional manner.
- NRHM has to develop a strategy of monitoring STI/RTI service delivery in consultation with NACO, maybe as a part of existing quality control committees or it may be entrusted to a dedicated person at block/ district level. The technical experts of NACO to extend handholding support to MH division to set up this monitoring system.
- Quality Assurance of laboratories performing STI/RTI diagnostics is the whole and sole responsibility of State and Regional STI centres. They should have a structured key activity covering the laboratories upto district level.
- The group also suggested creating a small core committee of external experts from programme, clinical and laboratory, which will act as an external quality assurance system of laboratory diagnostics. NACO has to ensure that all the laboratories in the programme are adhering to the lab SOPs developed.

Develop benchmarks for a quality assurance system for STI services in public and private sector.

Points for further discussion:

- Linking of 45 state reference centres and 7 regional centres with GASP programme of WHO: Feasibility and cost effectiveness
- NABL accreditation of the 52 laboratories: Need and relevance
- Strengthening of laboratories: additional manpower, budget and equipment: Need and relevance

Assess technical support needs and recommend measures for capacity building and supportive supervision for both public and private sector

Recommendations

- In view of recommendation that NACO should provide Technical support to NRHM to ensure effective implementation of programme upto sub-district level, technical Technical support from NACO needed and the modalities need to be worked out
- There is a need to rationalize and optimize available resources
- There should be an increase in the level of seniority of the STI focal person at state and also the person assigned the task of monitoring the programme under NRHM should also be of sufficient seniority to be able to effectively liaise with both the departments.
- The training curriculum, plan and calendar under the STI programme should involve identified training institutes in the government under heatlh programmes such as HFWTC, District training centres, ANMTC etc for optimal utilization of available resources. The capacity of staff of these institutes should be built as trainers in addition to existing pool.
- The programme implementers at district level like the medical officer incharge of DSRC, District RCH officers person in the clinic should be trained as resource person at the district.

Assess technical support needs and recommend measures for capacity building and supportive supervision for both public and private sector

Points for further discussion

- The programme has invested on two technical experts at the national level and on similar support of 19 positions at state level. Currently the programme needs are greater and cannot be met with the existing team. In convergence with NRHM, the number of facilities to be monitored and requiring technical assistance has increased enormously from 1000+ DSRCs , 1500 + TI Projects , 4000 PPP to nearly 26000 additional facilities under NRHM. In the light of the above, modalities to provide the monitoring, technical and mentoring needs of the scaled up programme require to be proportionately scaled up. Hence, the group should deliberate and suggest strategies.
- Feasibility and cost effectiveness of involving additional institutions and organizations with the capacity for capacity building, monitoring and mentoring due to shortage of human Resources at the Medical Colleges to provide technical/ mentoring support to the facilities.

Suggest innovations in implementation

Recommendations

- Programme should consider moving towards "Elimination of CONGENITAL SYPHILIS" in view of consistently reported low positive rates among pregnant women.
- The group recommended to introduce Point of care testing for syphilis to cover hard to reach pregnant women, HRG and bridge population to upscale the uptake of syphilic screening.
- The group recommends to conduct a baseline (2011-12) and endline (2016 17) community based study across the country to provide the insight into the epidemiologic situation of various STI/RTI among various population sub-groups.
- Introduction of Community monitoring mechanisms for both NACO and NRHM.
- The group recommended linking with disaster management teams at all levels to address the issues pertaining to sexual health needs of the displaced populations.
- The group recommends to conduct OR on the sexual behaviour and sexual health needs of Intravenous drug users across four regions of the country, as there is no available data.
- The group recommended to link the STI programme with cancer screening programme to detect early HPV induced malignancies.
- The group recommends to link the STI programme with UIP for HBV vaccination for HRG and DSRC attendees.
- The group recommended short term epidemiological orientation for programme division in consultation with ICMR at institutes such as NARI, NIE, etc

Discussion point 15 Suggest innovations in implementation

Issues for further discussion:

- Scope and feasibility and cost effective modalities of screening HPV related morbidity among HRG and DSRC attendees
- Scope and cost effectiveness of introducing HBV screening and vaccination at HRG and DSRC attendees.

Cross cutting issues

- TI
 - Package of STI services for HRG and costings
 - Use of ANM to deliver services to HRG
 - Introduction of minimal laboratory investigations for HRG
- Basic services/ CST
 - Path ahead with NRHM requires internal convergence within NACO
 - Private sector involvement and saturated trainings
- Laboratory services
 - Convergence of opportunity for HIV screening with syphilis screening
 - Introduction of POC for syphilis screening along with RBS for HIV testing
 - NABL accreditation of Regional and State STI centres similar to NRL and SRL under EQAS

Cross cutting issues

- R&D division Surveillance
 - Feasibility of inclusion of STI surveillance as part of national HIV sentinel surveillance
 - Support to regional centres to conduct periodic operational research
 - Evaluation of PPP approach
 - Baseline and endline community based
 prevalence studies for assessing STI burden

Thank you